Remicade/Remicade Biosimilars Enrollment Form



Fax Referral To: 1-877-232-5455 Address: 500 Ala Moana Blvd., Bldg 1 Honolulu, HI 96813 Phone: 1-808-254-2727 NCPDP: 1203417

PATIENT INFORMATION		ide demographic she				
Patient Name:					Gender: ☐ Male	☐ Female
Address:			Citv. State. ZIP C	Code:		
Preferred Contact Methods: P						ail provided
below)	` ' '	, ,	` '		, `	•
Note: Carrier charges may apply.	By providing the pl	none number(s) and e	email address ab	ove, you are	consenting to rece	ive
automated calls, emails and/or te						
rates apply. Message frequency vi	aries. If unable to c	ontact via text or em	ail, Specialty Pha	armacy will a	attempt to contact b	y phone.
Primary Phone:		/	Alternate Phone	·		
Email:		Last Four o	f SSN:	Primary L	anguage:	
Parent/Caregiver/Legal Guardian	Name (Last, First)	:	_Relationship t	o patient: _		
2 PRESCRIBER INFORMAT	ION					
Prescriber's Name:			State License	#•		
NPI #: DEA #:	Group of	r Hospital:	State Licerise			
Address:	dioup of	City State 3	7IP Code:			
Address:Fax:		Contact Person:		Con	tact's Phone	
Insurance Company: DIAGNOSIS AND CLINIC Diagnosis (ICD-10): K50.00 Crohn's disease (CD) of L40.0 Plaque psoriasis (PsO)	AL INFORMAT	ne 🔲	K51.90 Ulcerativ L40.50 Arthrop	athic psorias	sis (PsA)	
M06.9 Rheumatoid arthritis (R. Other Code: Descript			M45.9 Ankylosi	ng spondyiii	15 (A3)	
Allergies:Description		NKDA Weight:		. □ ka Hoia	ht: Din	Пст
Prior therapy, treatment dates, an				ı ∟ kg ⊓eig	III [_] III	
Treatment status: New to there	any \square Continuation	on of therapy: date o	f last treatment		Needs by date:	
Treatment status. New to there	ipy Continuation	on or therapy, date o	r tast treatment.	//	_ Needs by date	
Nursing and Administration:						
First dose administration of mono	olonal antibodics (m (Pc) should be ad	ministored in a c	ontrolled co	Hina (may yary dan	anding upon
medication specific policy).	Jonal antibodies (mads) should be adi	ministered in a c	ontrolled se	ung (may vary dep	enaing apon
For Remicade/Remicade Biosim	ilare the first dos	a must ha administa	ered in a contro	lled cetting		
Specialty pharmacy to coordinate						
Site of Care: Home Infusion*					** Other Infus	ion Clinic
*Home Infusion/Coram AIS: Dilue			. —			ion ounic
**Prescriber's Office/Other Infusion				inodiadon/ di	crapy todori train.	

Remicade/Remicade Biosimilars Enrollment Form

	P	ease Complete Patient, Prescriber	and Patient Clinical Information			
Patient Name:		Patient DOB:				
Prescriber Name: _		Prescriber Phone:				
<u>Patient Clinical Inf</u>	<u>formation:</u>	_				
Allergies:			🗌 lb 🗌 kg Height:_			
• • •		d reason(s) for discontinuation:				
		py \square Continuation of therapy; date		eeds by date:		
		ON Ship to: Patient Office				
MEDICATION	STRENGTH	DOSE & DIF	RECTIONS	QUANTITY/REFILLS		
		AS Induction Dose:		Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =m	ng) at weeks 0, 2, 6 and every	Refills: 0		
		6 weeks thereafter				
		AS Maintenance Dose:		Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =mg		Refills:		
☐ Avsola		☐ CD (Adult and Pediatric ≥ 6 year		Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =	mg) at weeks 0, 2, 6 and every	Refills: 0		
		8 weeks thereafter		O		
☐ Inflectra		CD (Adult) Maintenance Dose:	mag) avama Quua alsa	Quantity: (# of vials)		
		Infuse IV at 5-10 mg/kg (Dose =		Refills: (# of viols)		
☐ Infliximab		☐ CD (Pediatric ≥ 6 years old) Mair Infuse IV at 5 mg/kg (Dose =		Quantity: (# of vials) Refills:		
	100 mg vial	PsO/PsA Induction Dose:	ing/ every 8 weeks	Quantity: (# of vials)		
		Infuse IV at 5 mg/kg (Dose =	ma) at weeks 0.2.6 and every	Refills: 0		
☐ Remicade		8 weeks thereafter	ing/ at weeks 0, 2, 0 and every	Kemis. 0		
	PsO/PsA Maintenance Dose:		Quantity: (# of vials)			
		Infuse IV at 5 mg/kg (Dose =	ma) everv 8 weeks	Refills:		
Renflexis		RA Induction Dose:		Quantity: (# of vials)		
		Infuse IV at 3 mg/kg (Dose =r	Refills: 0			
		8 weeks thereafter				
		RA Maintenance Dose:		Quantity: (# of vials)		
		Infuse IV at 3-10 mg/kg (Dose =	mg) every 4, 6 or 8 weeks	Refills:		
		(circle one)				
		UC (Adult and Pediatric ≥ 6 year		Quantity: (# of vials)		
	Infuse IV at 5 mg/kg (Dose =	_mg) at weeks 0, 2, 6 and every	Refills: 0			
	8 weeks thereafter	1004	0 (# 5 . 1)			
	UC (Adult and Pediatric ≥ 6 year		Quantity: (# of vials)			
	Infuse IV at 5 mg/kg (Dose =	mg) every 8 weeks	Refills:			
Othow				Quantity: (# of vials)		
Other:				Refills:		
PRESCRIBER	RSIGNATURE	REQUIRED (STAMP SIGNAT	TURE NOT ALLOWED)			
		essary / Do Not Substitute / No Substitution /	May Substitute / Product Selection Permitt	red /		
DAW / May Not Substi	tute	·	Substitution Permissible			
Prescriber's Sign	nature:	Date:	Prescriber's Signature:	Date:		

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

Remicade/Remicade Biosimilars Enrollment Form Nursing Orders

Patient Name:		Complete Patient, Prescriber and Patient DOB:	Patient Phone: _	
rescriber Name:			Prescriber Phone:	
PRESCRIPTION IN	FORMATIO	N **ITEMS BELOW THIS LINE W	ILL ONLY BE SENT FOR INFUSIONS DON	NE AT HOME/CORAM AIS**
MEDICATION/SUPPLIES	ROUTE		ENGTH/ DIRECTIONS	QUANTITY/REFILLS
Catheter: PIV PORT CVC/PICC	IV	maintain IV access and patence PIV: NS 5 mL (Heparin 10 units.	s/mL 3-5 mL if multiple days) eparin 10 units/mL or 100 units/mL access PORT w/ huber needle	Quantity: Refills:
Hydration: ☐ NS ☐ D5W	IV	Pre:	Hydration max infusion rate mL/hr (Adult max rate 250 mL/hr unless otherwise indicated)	
☐ Epinephrine **nursing requires**	□ IM □ SC	☐ 1:1000, 0.3mg/0.3 mL (greating of the control of	Quantity: Refills:	
Diphenhydramine Oral	РО	Premedication: ☐ 12.5 mg/kg (0-30 kg) ☐ 25 mg ☐ 50 mg (Over 30 kg)	Quantity: Refills:	
☐ Diphenhydramine 50 mg/mL vial **nursing required**	Slow IV	1 mg/kg (under 15 kg) 12.5 mg-50 mg (15-30 kg) 25 mg-50 mg (Over 30 kg) If mild/moderate reaction: may (Adult max dose: 100 mg/day) If severe allergic reaction: call	Quantity: Refills:	
☐ Flush Orders:	Peripheral Access Central Venous Access	☐ 10 mL NS post flush ☐ 50 mL NS post flush to clear medication from tubing (recommended if no post-hydration)☐ Other:		Send quantity sufficient for medication days supply
Additional Medication:				
☐ Patient is interested in patient supplements of PRESCRIBER SIGN		STAMP SIGNATURE NOT ALLOWED OUIRED (STAMP SIGNAT	, , ,	provided as needed for administratio
	Medically Necessary / I	/ Do Not Substitute / No Substitution /	May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature:	Date:

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments. Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information.

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.